# **HP 24f Display**



# Impossibly thin. Irresistibly priced.

Get the crisp picture quality you crave with this ultra-slim, micro-edge display, featuring eye-catching aluminium design and immersive ultra-wide viewing angles. From browsing content to streaming entertainment - it allows you to see your world in a whole new way.



### Appealing, ultra-thin design

• Built from lightweight, high-strength metal with a matte finish and high-polished resin, this ultra-slim display brings home a modern look and feel without the premium price tag.

### Stunning from edge-to-edge

 With its vivid IPS panel, this micro-edge display delivers ultra-wide viewing angles and crisp, clear picture quality. It's an expansive viewing experience, perfect for dual display setups.

### Packed with entertainment features

 Experience the sharp, clear difference FHD¹ resolution brings to all your content. And thanks to AMD FreeSync™₂, PC gaming is free of blur and lag.

<sup>&</sup>lt;sup>1</sup> Full high-definition (FHD) content required to view FHD images.

<sup>&</sup>lt;sup>2</sup> FreeSync is an AMD technology is enabled on FHD displays and is designed to eliminate stuttering and/or tearing in games and videos by locking a display's refresh rate to the frame rate of the graphics card. Monitor, AMD Radeon™ Graphics and/or AMD A-Series APU compliant with DisplayPort™ Adaptive-Sync required. AMD Catalyst™ 15.2 Beta (or newer) required. Adaptive refresh rates vary by display.

<sup>&</sup>lt;sup>3</sup> FreeSync™is only available when it is connected on Display Port. FreeSync is an AMD® technology is enabled on FHD or QHD displays and is designed to eliminate stuttering and/or tearing in games and videos by locking a display's refresh rate to the frame rate of the graphics card. Monitor, AMD® Radeon™ Graphics and/or AMD® A-Series APU compliant with DisplayPort™ Adaptive-Sync required. AMD® Catalyst™ 15.2 Beta (or newer) required. Adaptive refresh rates vary by display.

newer) required. Adaptive refresh rates vary by display.

4 All performance specifications represent the typical specifications provided by HP's component manufacturers; actual performance may vary either higher or lower.

## **HP 24f Display**

### **Featuring**

### Full HD display / 1080p display

Be prepared for brilliant visuals and crisp images with the unforgettable quality of this stunning FHD display.

### Micro-edge display

With virtually no bezel encircling the display, an ultra-wide viewing experience provides for seamless multi-monitor set-ups.

### Anti-glare panel

Enjoy the sun and your favorite content with this anti-glare panel. Non-reflective and low gloss, means you'll get less glare while you're outside.

Using the Low Blue Light mode subtly shifts your display's colors to a warmer spectrum, while making whites more natural and putting less strain on your eyes.

### Share the panoramic view

Vibrant detail from practically any position with consistent color and image clarity maintained across an ultra-wide 178° horizontal and vertical viewing angles.

### Compact, sleek design

Get everything you need in one elegant package. Just one connection to the wall eliminates cable clutter. Slim design gives you more room for an enhanced computing experience.

### Modern design

With a sleek design this contemporary display perfectly compliments your latest device and seamlessly integrates within the modern home.

### Adjust your view

Adjust the screen to your personal preference with a 5° forward or 25° backward tilt.

### Seamless visuals

Videos and games come to life with less stutter or blur for more realistic play with smooth 5 milisecond gray-to-gray response time.

### Extreme detail

Amazing clarity is delivered by 10,000,000:1 Dynamic Contrast Ratio for deeper blacks, brighter whites, and crisper colors.4

<sup>&</sup>lt;sup>1</sup> Full high-definition (FHD) content required to view FHD images.
<sup>2</sup> FreeSync is an AMD technology is enabled on FHD displays and is designed to eliminate stuttering and/or tearing in games and videos by locking a display's refresh rate to the frame rate of the graphics card. Monitor,

AMD Radeon™ Graphics and/or AMD A-Series APU compliant with DisplayPort™ Adaptive-Sync required. AMD Catalyst™ 15.2 Beta (or newer) required. Adaptive refresh rates vary by display.

3 FreeSync™ is only available when it is connected on Display Port. FreeSync is an AMD® technology is enabled on FHD or QHD displays and is designed to eliminate stuttering and/or tearing in games and videos by locking a display's refresh rate to the frame rate of the graphics card. Monitor, AMD® Radeon™ Graphics and/or AMD® A-Series APU compliant with DisplayPort™ Adaptive-Sync required. AMD® Catalyst™ 15.2 Beta (or newer)

required. Adaptive refresh rates vary by display.

4 All performance specifications represent the typical specifications provided by HP's component manufacturers; actual performance may vary either higher or lower

### **Datasheet**

# **HP 24f Display**







Display Size	60.96 cm (24")
Aspect Ratio	16.9
Display type	IPS with LED backlight
Pixel pitch	0.274 mm
Response time	5 ms gray to gray (with overdrive)
Brightness	300 cd/m²
Contrast ratio	1000:1 static; 10000000:1 dynamic
Viewing angle	178° horizontal; 178° vertical
Resolution	FHD (1920 x 1080 @ 60 Hz)
Display Scan Frequency (horizontal)	Up to 86 kHz
Display Scan Frequency (vertical)	Up to 75 Hz
Display features	Anti-glare; Anti-static; In plane switching; Language selection; LED backlights; On-screen controls; Plug and Play; User programmable
Display input type	1 VGA; 1 HDMI 2.0
Physical security features	Security lock-ready
Display moving angle	Tilt: -5 to +25°
Environmental Specifications	Arsenic-free display glass; Mercury-free display backlights; Low halogen
Energy Efficiency	Energy Efficiency class: A On-mode power consumption: 19 W; Annual energy consumption: 28 kWh; Standby: 0.23 W; Power consumption (off-mode): 0.17 W
Display User Control Options	Brightness; Color control; Contrast; Exit; Image control; Information; Input source; Language; Management; Menu; OK; Power
Dimensions (W x D x H)	53.98 x 4 x 32.3 cm
Weight	2.84 kg
Operating Temperature Range	5 to 35° C
Operating Humidity Range	20 to 80% RH
Product Dimensions (with stand metric)	53.98 x 18 x 40.88 cm
Certifications and compliances	BSMI; CB; CCC; CE; CEL Grade 2; CSA; CSA-NRTL; EAC; E-standby; EUP Lot-6; FCC; GEMS; HRN N N0.201; ICES; IEC 60950-1; IS 1121; ISO 9241-307; KC; KCC; MEPS; Microsoft WHQL Certification (Windows 10, Windows 8 and Windows 7); PSB; RCM; SABS IEC 60950-1; SASO; SmartWay Transport Partnership (NA); TUV Bauart; VCCI; ISC; Low blue light
Warranty	1 year limited warranty
Box Content	AC power cord; Documentation; HDMI cable; Warranty card; Set up poster; Power adapter
Ordering info	2XN60AA#ABB: 192018368583; 2XN60AA#A2N: 192018368668; 2XN60AA#ABT: 192018368620; 2XN60AA#ABU: 192018368590; 2XN60AA#ABV: 192018368644; 2XN60AA#ABY: 192018368613; 2XN60AA#ACQ: 192018368637; 2XN60AA#UUG: 192018368651; 2XN60AA#UUZ:192018368606



